

CATALOGUE 2021



PRODUCT
CATALOGUE
2021



LOCK ART

The **LOCKART** brand contains several differentiating attributes. Naming consists of two terms that convey security (lock/to lock, referring to the locking mechanism, secure), and the word “art”, meaning craftsmanship and aesthetic spirit, which cultivates beauty. It is a powerful name for a brand, having in its structure a technical term and an aesthetic one.

From the two components of the name derive the set of values of the **LOCKART** brand:

PERFORMANCE: the best materials and remarkable mastery in the realization of door systems;

AESTHETIC: a passion for quality design, for shapes, textures, and colors that often refer to reputable artistic styles, to design schools that have had an impact on interior design and architecture;

SAFETY: the locking systems integrated into the **LOCKART** doors are the most technically efficient, giving a high degree of protection to any space;

VERSATILITY: The **MINIMALIST**, **CLASSIC**, **TREND**, and **ROYAL** categories cover all the requirements coming from the premium area, offering a unique stylistic variety on the local market. Strongly individualized, they contain models that combine aesthetics with technical performance.



CONTENT

- MINIMALIST
- CLASSIC
- TREND
- ROYAL
- TECHNICAL DETAILS
 - COLORS
 - SECTIONS: Types of doors
 - FEATURES: Multi Point Locks
 - Safety profile cylinder
 - Hinges
 - Internal handles
 - Rosette for profile cylinder
 - External handles
 - Additional accessories

01

MINIMALIST

The **MINIMALIST** collection of door models combines state-of-the-art technologies with a clear design vision, based on simplicity and accuracy of shapes. Made of 90 mm panels, the range doors offer a perfect balance between the aesthetic and the functional level.



M1001

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:** Painted aluminum RAL 9005, Jet Black-matt
- **Equipment:** COR-7695 (Embedded handle) Wala, Ring lock insert, Stainless Steel 304



M1002

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Laminam stone,
Pietra di Savoia Grigia Bocciardata,
I NATURALI
Painted aluminum RAL 9005, Jet Black-matt
- **Equipment:**
Wala, Q90 handle, L=2000mm,
40x 40mm profile, Stainless Steel 304
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304



M1003

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 9016, Traffic White
Painted aluminum WDOR01 Walnut
Sandblasted glass
- **Equipment:**
Wala, QA90 handle, L=2000mm, 40x 40mm profile, White, RAL 9016
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304



M1004

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 5026, Pearl Night Blue
Milled & Painted RAL 9005, Jet Black
Sandblasted glass
- **Equipment:**
Wala, QA90 handle, L=1000mm,
40x 40mm profile, RAL 9005, Jet Black
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304



M1005

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 9005, Jet Black
Painted aluminum RAL 7016, Anthracite Grey
Sandblasted glass
- **Equipment:**
Wala, PA10 Handle, L= 800 mm,
40x 40mm profile, RAL 7016, Anthracite Grey
Wala, Ring lock insert, Stainless Steel 304



M1006

Specifications

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 8002, Signal Brown
Painted aluminum RAL 9005, Jet Black-matt
Stainless Steel metal inserts
- **Equipment:**
Wala, Q90 handle, L=2000mm,
40x 40mm profile, Stainless Steel 304
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304



M1007

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 7004 Signal Grey
Milled & painted RAL 1000, Green Beige
- **Equipment:**
Wala, QA 90 handle, L=1000mm,
40x 40mm profile, RAL 1000,
Green Beige
Wala, Ring lock insert, Stainless Steel 304



M1008

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 6033, Mint Turquoise-matt
Stainless Steel metal inserts
Sandblasted glass
- **Equipment:**
Wala, QS handle, L=1000mm,
40x 20mm profile, Stainless Steel 304
Wala, Ring lock insert, Stainless Steel 304



M1009

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 9016, Traffic White- matt
Milled & painted RAL 9005, Jet Black-matt
- **Equipment:**
Wala, QA90D handle, L=1600mm,
40x 40mm profile, Oak+Aluminium
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304



M1010

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum, WDDb01,
Swamp Oak
Painted aluminum RAL 9005, Jet Black-matt
- **Equipment:**
Wala, QA90 handle, L=2000mm,
40x 40mm profile, Black, RAL 9005
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304



M1011

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Laminam stone,
Pietra di Cardoso Grigio Naturale , IN-SIDE
Painted aluminum RAL 9005, Jet Black
- **Equipment:**
Wala, PA10 Handle, L= 800 mm,
40x 40mm profile, Black, RAL 9005
Wala, Ring lock insert, Stainless Steel 304



M1012

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Laminam stone,
Pietra di Cardoso Nero Naturale, IN-SIDE
Painted aluminum RAL 9005, Jet Black-matt
Milled & painted RAL 9005, Jet Black-matt
- **Equipment:**
Wala, QA90 handle, L=2000mm,
40x 40mm profile, Black, RAL 9005
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304

MINIMALIST



M1013

Specifications;

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 9016, Traffic White-matt
Stainless Steel metal inserts
- **Equipment:**
COR-7695 (Embedded handle)
Wala, Ring lock insert, Stainless Steel 304



M1014

Specifications

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 4009, Pastel Violet-matt
Stainless Steel metal inserts
- **Equipment:**
COR-7695 (Embedded handle)
Wala, Ring lock insert, Stainless Steel 304



M1015

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Laminam stone, Nero BLEND
Golden metal inserts
- **Equipment:**
COR-7695 (Embedded handle)
Wala, Ring lock insert, Stainless Steel 304



MINIMALIST



M1016

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 7036,
Platinum Gray-matt
Stainless steel metal inserts
- **Equipment:**
Wala, Q90 handle, L=1000mm,
40x 40mm profile, Stainless Steel 304
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304

LOCK ART

D O O R S



02

CLASSIC

The **CLASSIC** collection of doors is based on a combination of glazed materials (transparent and sandblasted glass) and materials that convey solidity and geometric rigor: aluminum, stainless steel, stone. The harmonious design helps to obtain a look in tune with the name of the category so that these doors are suitable for spaces made in modern, traditional, or neoclassical style.



C1001

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 9005, Jet Black-matt
Stainless Steel metal inserts
Sandblasted glass
- **Equipment:**
Wala, QS handle, L=1000mm,
40x 20mm profile, Stainless Steel 304
Wala, Ring lock insert, Stainless Steel 304



C1002

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 7047, Telegray 4-matt
Milled
Transparent glass
- **Equipment:**
Wala, QA90 handle, L=1000mm,
40x40mm profile, RAL 9005, Jet Black
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304



C1003

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 6034,
Pastel Turquoise-matt
Stainless Steel metal inserts
Sandblasted glass
- **Equipment:**
Wala, Q90 handle, L=2000mm,
40x 40mm profile, Stainless Steel 304
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304



C1004

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:** Painted aluminum WDBL01 Light Oak
Painted aluminum RAL 9005, Jet Black-matt
Milled & painted RAL 9005, Jet Black
Transparent glass
- **Equipment:**
Wala, Q90 handle, L=2000mm,
40x 40mm profile, Stainless Steel 304
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304





C1005

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 1032, Broom Yellow-matt
Stainless Steel metal inserts
Sandblasted glass
- **Equipment:**
Wala, QA90 handle, L=2000mm,
40x 40mm profile, Black, RAL 9005
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304



C1006

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 9005, Jet Black
Painted aluminum WDZD01 Golden Oak
Sandblasted glass
- **Equipment:**
Wala, H3 handle
Wala, Ring lock insert, Stainless Steel 304



C1007

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Laminam stone, Nero, BLEND
Painted aluminum RAL 9005, Jet Black
Sandblasted glass
- **Equipment:**
Wala, QA90 handle, L=1000mm,
40x 40mm profile, RAL 9005, Jet Black
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304



C1008

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 1000, Green Beige
Stainless Steel metal inserts
Transparent glass
- **Equipment:**
Wala, H3 handle
Wala, Ring lock insert, Stainless Steel 304



C1009

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 8011, Nut Brown-matt
Milled & painted RAL 9005, Jet Black
- **Equipment:**
Wala, QA90 handle, L=1000mm,
0x 40mm profile, RAL 9005, Jet Black
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304



C1010

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 7030, Stone Grey
Stainless Steel metal inserts
Transparent glass
- **Equipment:**
Wala, Q90 handle, L=2000mm, 40x 40mm profile,
Stainless Steel 304
Wala, Ring lock insert, Stainless Steel 304



C1011

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 7016, Anthracite Grey
Sandblasted glass
- **Equipment:**
Wala, Q90 handle, L=2000mm, 40x 40mm profile, painted RAL 1024, Traffic Yellow-matt
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304



C1012

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 5000, Violet Blue-matt
Stainless Steel metal inserts
Sandblasted glass
- **Equipment:**
Wala, H3 handle
Wala, Ring lock insert, Stainless Steel 304



C1013

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 6034,
Pastel Turquoise-matt
Milled & painted RAL 6034,
Pastel Turquoise-matt
Sandblasted glass
- **Equipment:**
Wala, H3 handle
Wala, Ring lock insert, Stainless Steel 304



C1014

Specifications:

- **U-value:** 0.73 W/m2K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 7036, Platinum Grey-matt
Stainless Steel metal inserts
- **Equipment:**
Wala, H3 handle
Wala, Ring lock insert, Stainless Steel 304



C1015

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 9005, Jet Black
Painted aluminum WDOR01 Walnut
Milled & painted RAL 9005, Jet Black
- **Equipment:**
Wala, QA90 handle, L=2000mm,
40x 40mm profile, Black, RAL 9005
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304



LOCK ART

D O O R S



03

TREND

TREND doors use a clever geometry of contemporary shapes, which update models inspired by the Bauhaus movement or Art Deco. It is a range of doors for sophisticated tastes, for ingeniously designed spaces festooned with decorative courage.



T1001

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 5003, Sapphire Blue-matt
Milled & painted RAL 9005, Jet Black
- **Equipment:**
Wala, QA90 handle, L=2000mm,
40x 40mm profile, Black, RAL 9005
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304



T1002

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 9016, Traffic White
Milled & painted RAL 9005, Jet Black-matt
Sandblasted glass
- **Equipment:**
Wala, QA90 handle, L=1000mm,
40x 40mm profile, RAL 9005, Jet Black
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304



T1003

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum WDDb01 Swamp Oak
Stainless Steel metal inserts
Sandblasted glass
- **Equipment:**
Wala, QS handle, L=1000mm,
Profil 40x 20mm, Stainless Steel 304
Wala, Ring lock insert, Stainless Steel 304



T1004

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Laminam stone, Fumo, COLLECTION
Joints, RAL 9005, Jet Black- matt
- **Equipment:**
Wala, QA90 handle, L=1000mm,
40x 40mm profile, RAL 9005, Jet Black
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304



T1005

Specifications:


- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 1019, Grey Beige-matt
Stainless Steel metal inserts
- **Equipment:**
Wala, H3 handle
Wala, Ring lock insert, Stainless Steel 304



T1006

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 7043, Traffic Grey B
Stainless Steel metal inserts
- **Equipment:**
Wala, Q90 handle, L=2000mm,
40x 40mm profile, Stainless Steel 304
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304



T1007

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 9016, Traffic White- matt
Painted aluminum RAL 9005, Jet Black-matt
Milled & painted RAL 9005, Jet Black-matt
- **Equipment:**
Wala, H3 handle
Wala, Ring lock insert, Stainless Steel 304



T1008

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum WDWG01 Wenge
Milled & painted RAL 9005, Jet Black-matt
- **Equipment:**
Wala, H3 handle
Wala, Ring lock insert, Stainless Steel 304



T1009

Specifications:


- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 4002, Red Violet
Milled & painted RAL 9005, Jet Black-matt
- **Equipment:**
Wala, QA90 handle, L=2000mm,
40x 40mm profile, Black, RAL 9005
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304



T1010

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum WDOR01 Walnut
Stainless Steel metal inserts
- **Equipment:**
Wala, QA90 handle, L=2000mm,
40x 40mm profile, Black, RAL 9005
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304



TREND



T1011

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 7024, Graphite Grey
Milled & painted RAL 9005, Jet Black-matt
- **Equipment:**
COR-7695 (Embedded handle) painted RAL 1024,
Traffic Yellow- matt
Wala, Ring lock insert, Stainless Steel 304



TREND



T1012

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 6033, Mint Turquoise-matt
Transparent glass
Milled & painted RAL 9005, Jet Black-matt
- **Equipment:**
Wala, QA90 handle, L=2000mm,
40x 40mm profile, Black, RAL 9005
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304



T1013

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 7016, Anthracite Grey-matt
Milled & painted RAL 1024, Traffic Yellow-matt
- **Equipment:**
Wala, Q90 handle, L=2000mm,
40x 40mm profile, Stainless Steel 304
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304

LOCK ART

D O O R S



04

ROYAL

When you say **ROYAL**, you already have a direction of what this range of ultra-premium doors represents. With a massive look, they inspire safety and durability. The quality of the materials, the sober chromatics, and the design line recommend them to be integrated into sumptuous spaces.



R1001

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum WDMH01 Mahogany
Milled & painted RAL 9005, Jet Black-matt
- **Equipment:**
Wala, H3 handle
Wala, Ring lock insert, Stainless Steel 304



R1002

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum WDMH01 Mahogany
Painted aluminum RAL 9005, Jet Black-matt
Golden metal inserts
- **Equipment:**
COR-7695 (Embedded handle)
Wala, Ring lock insert, Stainless Steel 304



R1003

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum RAL 7024, Graphite Grey
Milled & painted RAL 9005, Jet Black-matt
Stainless steel metal insert
- **Equipment:**
COR-7695 (Embedded handle)
Wala, Ring lock insert, Stainless Steel 304





R1004

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Laminam stone, Nero Greco, I NATURALI
Painted aluminum RAL 9005, Jet Black-matt
Rosturi, RAL 9005, Jet Black-matt
- **Equipment:**
Wala, PA10 Handle, L= 800 mm,
40x 40mm profile, Black, RAL 9005
Wala, Ring lock insert, Stainless Steel 304





R1005

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum WDMH01 Mahogany
Painted aluminum RAL 9005, Jet Black-matt
- **Equipment:**
COR-7695 (Embedded handle)
Wala, Ring lock insert, Stainless Steel 304



R1006

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum WDOR01 Walnut
Milled & painted RAL 9005, Jet Black-matt
- **Equipment:**
Wala, QA90 handle, L=2000mm,
40x 40mm profile, Black, RAL 9005
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304



ROYAL



R1007

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum WDOR01 Walnut
Painted aluminum RAL 9005, Jet Black-matt
Sandblasted glass
- **Equipment:**
Wala, QA90 handle, L=2000mm,
40x 40mm profile, Black, RAL 9005
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304



R1008

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum WDOR01 Walnut
Painted aluminum RAL 9005, Jet Black-matt
Milled & painted RAL 9005, Jet Black-matt
- **Equipment:**
Wala, QA90 handle, L=2000mm,
40x 40mm profile, Black, RAL 9005
Wala, Touch sensor in a rectangular tube
Wala, Ring lock insert, Stainless Steel 304



R1009

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum WDWI03 Golden Cherry
Painted aluminum RAL 9005, Jet Black- matt
Golden metal inserts
- **Equipment:**
COR-7695 (Embedded handle)
Wala, Ring lock insert, Stainless Steel 304



R1010

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum WDOR01 Walnut
Milled & painted RAL 9005, Jet Black
Sandblasted glass
- **Equipment:**
Wala, PA10 Handle,
L= 800 mm, 40x 40mm profile,
RAL 7016, Anthracite Grey
Wala, Ring lock insert, Stainless Steel 304



R1011

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Laminam stone, Nero ,OSSIDO
Painted aluminum RAL 9005, Jet Black-matt
Sandblasted glass
- **Equipment:**
Wala, QS handle, L=1000mm,
40x 20mm profile, Stainless Steel 304
Wala, Ring lock insert, Stainless Steel 304



R1012

Specifications:

- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum WDOR01 Walnut
Painted aluminum RAL 9005, Jet Black-matt
Sandblasted glass
- **Equipment:**
Wala, PA10 Handle, L= 800 mm,
40x 40mm profile, Black, RAL 9005
Wala, Ring lock insert, Stainless Steel 304



R1013

Specifications:


- **U-value:** 0.73 W/m²K
- **Panel thickness:** 90 mm
- **Security:** RC2/WK2
- **Hinges:** barrel hinges
- **Materials:**
Painted aluminum WDOR01 Walnut
Painted aluminum RAL 7016, Anthracite Grey
Stainless steel metal insert
Sandblasted glass
- **Equipment:**
Wala, QS handle, L=1000mm,
40x 20mm profile, Stainless Steel 304
Wala, Ring lock insert, Stainless Steel 304

05


**TECHNICAL
DETAILS**

COLORS


TIMELESS TC




TIMELESS MT (opaco / matt / mat / tiefmatt / mate / mat)



TIMELESS T (brillante / shiny / brillant / glänzend / brillante / glimmend)



LIFE LT



TIGER



IGP



COLORS


WOOD FINISHING




WDZD01



WDOR01




WDOWN01



WDWG01




WDBK01




Wddb01




WDSN01




WDMH01




WDMH03



WDSI01



WDSR01



WDWI03

SECTIONS: TYPES OF DOORS

01

FEATURES: MULTI POINT LOCKS:



75 mm door

1. Door leaf depth: 75,5 mm
2. Uw value: from 1,6W/m2K
3. Triple thermal insulated glazing
4. RC2/RC3 possibility



90 mm door

1. Door leaf depth: 90 mm
2. Uw value: from 0,73W/m2K
3. 4 layered thermal insulated glazing
4. RC2/RC3 possibility



- A.** Three point locking system with bolts (LA101)



- B.** Five point locking system with bolts and hooks-manual daytime release (LA102)



- C.** Three point motor operated locking system with bolts- key-operated daytime release (LA103)

02 SAFETY PROFILE CYLINDER (LA2O1):



HINGES 03

A. Barrel hinges (LA301):



B. Concealed hinges (LA302):



04

INTERNAL HANDLES



A. U shaped lever handle (LA401):

- Brushed inox matt
- Inside-outside use



B. Round shaped lever handle (LA402):

- Brushed inox matt
- Inside-outside use



C. L shaped lever handle (LA403):

- Brushed inox matt
- Inside-outside use

ROSETTE FOR PROFILE CYLINDER

05



A. Oval rosette (LA501)

- Brushed inox matt
- Inside-outside use



B. Security oval rosette (LA502)

- Brushed inox matt
- Outside use



C. Ring lock insert (LA503)

- Brushed inox matt
- Outside use

06

EXTERNAL HANDLES



- A. LA601
round section:**
- Available dimensions: 800mm/1200mm/1800mm
 - Available finish: brushed inox matt



- B. LA602
half-round section:**
- Available dimensions: 600mm/1000mm/1800mm
 - Available finish: brushed inox matt



- C. LA603
half round section**
- Available dimensions: 800mm/1200mm/1800mm
 - Available finish: stainless steel 316
 - Available options: EKEY Arte fingerprint scanner/ IDENCOM BioKey Fingerprint- Mini-X App with Bluetooth/LED light in a plug of handle/ EKEY+IDENCOM only with lock LA103



- D. LA604 - rectangular section**
- Available dimensions: 800mm/1200mm/1800mm
 - Available finishes: anodized black/anodized natural/inox C-31
 - Available options: EKEY Arte fingerprint scanner/ IDENCOM BioKey Fingerprint- Mini-X App with Bluetooth/LED light in a plug of handle/ LED strip in a hidden channel/ EKEY+IDENCOM only with lock LA103

06

EXTERNAL HANDLES



- E. LA605 - square section**
- Available dimensions: 800mm/1200mm/1600mm
 - Available finishes: - standard RAL9005+oak, RAL7016+oak, RAL9016+oak, optional any RAL+oak
 - Available options: LED strip in a hidden channel



- F. LA606 - round section**
- Available dimensions: 1000mm/1400mm/1800mm
 - Available finishes: - standard RAL9005, RAL7016, RAL9016k (optional any RAL)/ anodized black/anodized natural/inox C-31
 - Available options: LED strip in a plug



- G. LA607 curved rectangular section**
- Available dimensions: 1000mm/2000mm
 - Available finish: brushed inox matt
 - Available options: EKEY Arte fingerprint scanner/ IDENCOM BioKey Fingerprint Mini-X App with Bluetooth
 - EKEY+IDENCOM only with lock LA103



- H. LA608 - vertical embedded**
- Available dimensions: 1200mm/2000mm
 - Available finish: anodized natural/any RAL
 - Available options: LED strip in a hidden channel



- I. LA609 horizontal embedded**
- Available dimension: 400mmx115mm
 - Available finish: brushed inox matt/ silver anodized/any RAL

07

ADDITIONAL ACCESSORIES



A. Concealed door-closer (LA701) GEZE BOXER



B. Burglar-proof pin (LA702)- stainless steel 304



C. Doorstop (LA703)- stainless steel 304

CATALOGUE 2021



a VitraQ brand

CATALOGUE 2021



📍 Str. Suceagu, Nr.12, Com. Baci, jud. Cluj

☎ +40 721 366 365

✉ office@vitra-q.ro

🌐 www.vitra-q.ro

Monday - Friday: 08:00-17:00

WE LOVE OUR

DOORS:

DEVELOPING
OPTIMAL
ORIGINAL
REMARKABLE
SYSTEMS